

CONECTORES BORNE



CONECTOR BORNE 90° PINO-BARRA EM LIGA DE ALUMINIO




FIGURA 1




FIGURA 2

CÓDIGO	PINO		FIG.	DIMENSÕES EM (MM)				
	POL	MM		A	B	C	P	
JD-ABP-20A-2N-90	-	20	2	45	52	80	M-10	
JD-ABP-25A-2N-90	1	25,4		1	50		57	M-12
JD-ABP-118A-2N-90	1.1/8	28,6			76			
JD-ABP-118A-4N-90			2	50				
JD-ABP-30A-2N-90	-	30	1	76				
JD-ABP-30A-4N-90	1.1/4	31,8	2	50	105			
JD-ABP-114A-2N-90			1	76	80			
JD-ABP-114A-4N-90			2	50	105			
JD-ABP-112A-2N-90	1.1/2	38,1	1	76	80			
JD-ABP-112A-4N-90			2	50	105			
JD-ABP-40A-2N-90	-	40	1	76	80			
JD-ABP-40A-4N-90	2	50,8	2	50	105			
JD-ABP-50A-2N-90			1	76	63	80		
JD-ABP-50A-4N-90								

CONECTOR BORNE RETO PINO-BARRA EM LIGA DE ALUMINIO




FIGURA 1





FIGURA 2

CÓDIGO	PINO		FIG.	DIMENSÕES EM (MM)			
	POL	MM		A	B	C	P
JD-ABP-20A-2N	-	20	2	45	52	134	M-10
JD-ABP-25A-2N	1	25,4		50	57	139	M-12
JD-ABP-118A-2N	1.1/8	28,6	76				
JD-ABP-118A-4N			1	76			
JD-ABP-30A-2N	-	30	2	50			
JD-ABP-30A-4N	1.1/4	31,8	1	76			
JD-ABP-114A-2N			2	50			
JD-ABP-114A-4N	1.1/2	38,1	1	76			
JD-ABP-112A-2N			2	50			
JD-ABP-112A-4N	-	40	1	76			
JD-ABP-40A-2N			2	50			
JD-ABP-40A-4N	2	50,8	1	76			
JD-ABP-50A-2N			2	50			
JD-ABP-50A-4N	1	76	63	145			

CONECTOR BORNE 90° PINO-CABO EM LIGA DE ALUMINIO



CÓDIGO	CONDUTORES					DIMENSÕES EM (MM)				
	ASC	ACSR	Ø MM	PINO						
	AWG-MCM	AWG-MCM	MIN-MAX	POL	MM	A	B	C	P	PP
JD-DNC- 325-90A	4-1/0	4-1/0	5,8-10,1	1/2	12,7	52	47	114	M-12	M-12
JD-DNC-329-90A	1/0-250	1/0-4/0	9,4-14,6				69	136		
JD-DNC-332-90A	250-400	4/0-397,5	14,3-19,8				76	142		
JD-DNC-336-90A	350-600	336,4-477	17,2-22,8				82	149		
JD-DNC-425-90A	4-1/0	4-1/0	5,8-10,1	3/4	19		47	121		
JD-DNC-429-90A	1/0-250	1/0-4/0	9,4-14,6				69	150		
JD-DNC-432-90A	250-400	4/0-397,5	14,3-19,8				76	150		
JD-DNC-436-90A	350-600	336,4-477	17,2-22,6				82	153		
JD-DNC-442-90A	600-900	477-795	21,7-28,1	1	25,4		88	160		
JD-DNC-529-90A	1/0-250	1/0-4/0	9,4-14,6				69	156		
JD-DNC-532-90A	250-400	4/0-397,5	14,3-19,8				76	156		
JD-DNC-536-90A	350-600	336,4-477	17,2-22,6				82	162		
JD-DNC-542-90A	600-900	477-795	21,7-28,1	1.1/8	28,6	88	166			
JD-DNC-545-90A	900-1250	715,5-1113	26,6-32,8			95	175			
JD-DNC-5529-90A	1/0-250	1/0-4/0	9,4-14,6			69	160			
JD-DNC-5532-90A	250-400	4/0-397,5	14,3-19,8			76	160			
JD-DNC-5536-90A	350-600	336,4-477	17,2-22,6	1.1/4	31,8	82	166			
JD-DNC-5542-90A	600-900	477-795	21,7-28,1			88	169			
JD-DNC-5545-90A	900-1250	715,5-1113	26,6-32,8			95	178			
JD-DNC-629-90A	1/0-250	1/0-4/0	9,4-14,6			69	162			
JD-DNC-632-90A	250-400	4/0-397,5	14,3-19,38			76	162			
JD-DNC-636-90A	350-600	336,4-477	17,2-22,6			82	166			
JD-DNC-642-90A	600-900	477-795	21,7-28,1			88	172			

<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749

JD-DNC-645-90A	900-1250	715,5-1113	26,6-32,8	1.1/2	38,1		95	178		M-16
JD-DNC-646-90A	1250-1600	1113-1431	32,7-37,2				111	194		
JD-DNC-732-90A	250-400	4/0-397,5	14,3-19,8				69	166		
JD-DNC-736-90A	350-600	336,4-477	17,2-22,6				82	175		
JD-DNC-742-90A	600-900	477-795	21,7-28,1	2	50,8	63	88	178		M-12
JD-DNC-745-90A	900-1250	715,5-1113	26,6-32,8				95	185		
JD-DNC-746-90A	1250-1600	1113-1431	32,7-37,2				111	200		
JD-DNC-748-90A	1500-2000	1272-1780	35,1-41,4				114	203		
JD-DNC-836-90A	350-600	336,4-477	17,2-22,6	2.1/2	63,5	63	82	187		M-16
JD-DNC-842-90A	600-900	477-795	21,7-28,1				88	191		
JD-DNC-845-90A	900-1250	715,5-1113	26,6-32,8				95	200		
JD-DNC-846-90A	1250-1600	1113-1431	32,7-37,2				111	212		
JD-DNC-848-90A	1500-2000	1272-1780	35,1-41,4	2.3/4	69,9		114	216		M-16
JD-DNC-942-90A	600-900	477-795	21,7-28,1				88	203		
JD-DNC-945-90A	900-1250	715,5-1113	26,6-32,8				95	212		
JD-DNC-946-90A	1250-1600	1113-1431	32,7-37,2				111	228		
JD-DNC-948-90A	1500-2000	1272-1780	35,1-41,4	2.3/4	69,9		114	237		M-16
JD-DNC-9546-90A	1250-1600	1113-1431	32,7-37,2				111	228		
JD-DNC-9548-90A	1500-2000	1272-1780	35,1-41,4				114	237		



CONECTORES DE ALUMINIO

CONECTOR BORNE RETO PINO-CABO EM LIGA DE ALUMINIO

<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749



CÓDIGO	CONDUTORES					DIMENSÕES EM (MM)				
	ASC	ACSR	Ø MM	PINO						
	AWG-MCM	AWG-MCM	MIN-MAX	POL	MM	A	B	C	P	PP
JD-DNC- 325-A	4-1/0	4-1/0	5,8-10,1	1/2	12,7	52	47	114	M-12	
JD-DNC-329-A	1/0-250	1/0-4/0	9,4-14,6				69	136		
JD-DNC-332-A	250-400	4/0-397,5	14,3-19,8				76	142		
JD-DNC-336-A	350-600	336,4-477	17,2-22,8				82	149		
JD-DNC-425-A	4-1/0	4-1/0	5,8-10,1	3/4	19		47	114		
JD-DNC-429-A	1/0-250	1/0-4/0	9,4-14,6				69	136		
JD-DNC-432-A	250-400	4/0-397,5	14,3-19,8				76	142		
JD-DNC-436-A	350-600	336,4-477	17,2-22,6				82	149		
JD-DNC-442-A	600-900	477-795	21,7-28,1	1	25,4		88	155		
JD-DNC-529-A	1/0-250	1/0-4/0	9,4-14,6				69	136		
JD-DNC-532-A	250-400	4/0-397,5	14,3-19,8				76	142		
JD-DNC-536-A	350-600	336,4-477	17,2-22,6				82	149		
JD-DNC-542-A	600-900	477-795	21,7-28,1	1.1/8	28,6		88	155		
JD-DNC-545-A	900-1250	715,5-1113	26,6-32,8				95	161		
JD-DNC-5529-A	1/0-250	1/0-4/0	9,4-14,6			69	142			
JD-DNC-5532-A	250-400	4/0-397,5	14,3-19,8			76	149			
JD-DNC-5536-A	350-600	336,4-477	17,2-22,6			82	155			
JD-DNC-5542-A	600-900	477-795	21,7-28,1			88	161			
JD-DNC-5545-A	900-1250	715,5-1113	26,6-32,8	1.1/4	31,8	95	168			
JD-DNC-629-A	1/0-250	1/0-4/0	9,4-14,6			69	142			
JD-DNC-632-A	250-400	4/0-397,5	14,3-19,38			76	149			
JD-DNC-636-A	350-600	336,4-477	17,2-22,6			82	155			
JD-DNC-642-A	600-900	477-795	21,7-28,1			88	161			
JD-DNC-645-A	900-1250	715,5-1113	26,6-32,8			95	168			
JD-DNC-646-A	1250-1600	1113-1431	32,7-37,2	1.1/2	38,1	111	184			M-16
JD-DNC-732-A	250-400	4/0-397,5	14,3-19,8			69	142			M-12
JD-DNC-736-A	350-600	336,4-477	17,2-22,6			82	155			


<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749

JD-DNC-742-A	600-900	477-795	21,7-28,1				88	161		
JD-DNC-745-A	900-1250	715,5-1113	26,6-32,8				95	168		
JD-DNC-746-A	1250-1600	1113-1431	32,7-37,2				111	184		
JD-DNC-748-A	1500-2000	1272-1780	35,1-41,4				114	187		
JD-DNC-836-A	350-600	336,4-477	17,2-22,6	2	50,8	63	82	161		
JD-DNC-842-A	600-900	477-795	21,7-28,1				88	168		
JD-DNC-845-A	900-1250	715,5-1113	26,6-32,8				95	174		
JD-DNC-846-A	1250-1600	1113-1431	32,7-37,2				111	190		
JD-DNC-848-A	1500-2000	1272-1780	35,1-41,4	2.1/2	63,5		114	193		
JD-DNC-942-A	600-900	477-795	21,7-28,1				88	165		
JD-DNC-945-A	900-1250	715,5-1113	26,6-32,8				95	171		
JD-DNC-946-A	1250-1600	1113-1431	32,7-37,2				111	187		
JD-DNC-948-A	1500-2000	1272-1780	35,1-41,4	2.3/4	69,9		114	190		
JD-DNC-9546-A	1250-1600	1113-1431	32,7-37,2				111	196		
JD-DNC-9548-A	1500-2000	1272-1780	35,1-41,4				114	200		


CONECTOR BORNE TUBO-PINO-90° EM LIGA DE ALUMINIO.



CÓDIGO	TUBO IPS		PINO		DIMENSÕES EM (MM)				
	POL	MM	POL	MM	A	B	C	P	PP
JD-DNT-1012-90A	1/2	21,3	1/2	12,7	76	52	141	M-12	M-12
JD-DNT-1512-90A	3/4	27,7			82		147		
JD-DNT-2512-90A	1	33,4			88		153		
JD-DNT-1019-90A	1/2	21,3	3/4	19	76		147		
JD-DNT-1519-90A	3/4	27,7			82		153		
JD-DNT-2519-90A	1	33,4			88		160		
JD-DNT-1025-90A	1/2	21,3	1	25,4	76		153		
JD-DNT-1525-90A	3/4	27,7			82		162		
JD-DNT-2525-90A	1	33,4			88		166		
JD-DNT-4525-90A	1.1/4	42,2	1.1/8	28,6	95	57	175		
JD-DNT-5525-90A	1.1/2	48,3			101		187		
JD-DNT-1028-90A	1/2	21,3			76		160		
JD-DNT-1528-90A	3/4	27,7			82		162		
JD-DNT-2528-90A	1	33,4			88		172		
JD-DNT-4528-90A	1.1/4	42,2			95		175		
JD-DNT-5528-90A	1.1/2	48,3	1.1/4	31,8	101		185		
JD-DNT-1031-90A	1/2	21,3			76		160		
JD-DNT-1531-90A	3/4	27,7			82		166		
JD-DNT-2531-90A	1	33,4			88		175		
JD-DNT-4531-90A	1.1/4	42,2			95		178		

JD-DNT-5531-90A	1.1/2	48,3			101		185		
JD-DNT-1538-90A	3/4	27,7			82		172		
JD-DNT-2538-90A	1	33,4			88		178		
JD-DNT-4538-90A	1.1/4	42,2	1.1/2	38,1	95		184		
JD-DNT-5538-90A	1.1/2	48,3			101		191		
JD-DNT-5538-90A	2	60,3			107		197		
JD-DNT-2550-90A	1	33,4			88		191		
JD-DNT-4550-90A	1.1/4	42,2			95		200		
JD-DNT-5550-90A	1.1/2	48,3	2	50,8	101	63	203		
JD-DNT-6550-90A	2	60,3			107		212		
JD-DNT-7550-90A	2.1/2	73			114		216		
JD-DNT-6576-90A	2	60,3			107		247		
JD-DNT-7576-90A	2.1/2	73			114		253	M-16	
JD-DNT-8576-90A	3	88,9	3	76,2	127	73	262		M-16
JD-DNT-9576-90A	3.1/2	101,6			139		278		
JD-DNT-10576-90A	4	114,3			152		289		

CONECTOR BORNE TUBO-PINO RETO EM LIGA DE ALUMINIO.



CÓDIGO	TUBO IPS		PINO		DIMENSÕES EM (MM)				
	POL	MM	POL	MM	A	B	C	P	PP
JD-DNT-1012-A	1/2	21,3	1/2	12,7	76	52	139	M-12	M-12
JD-DNT-1512-A	3/4	27,7			82		146		
JD-DNT-2512-A	1	33,4			88		152		
JD-DNT-1019-A	1/2	21,3	3/4	19	76		138		
JD-DNT-1519-A	3/4	27,7			82		144		
JD-DNT-2519-A	1	33,4			88		150		
JD-DNT-1025-A	1/2	21,3	1	25,4	76		138		
JD-DNT-1525-A	3/4	27,7			82		144		
JD-DNT-2525-A	1	33,4			88		150		
JD-DNT-4525-A	1.1/4	42,2			95		157		
JD-DNT-5525-A	1.1/2	48,3	1.1/8	28,6	101		163		
JD-DNT-1028-A	1/2	21,3			76	57	146		
JD-DNT-1528-A	3/4	27,7			82		152		
JD-DNT-2528-A	1	33,4			88		158		
JD-DNT-4528-A	1.1/4	42,2			95		165		
JD-DNT-5528-A	1.1/2	48,3			101		171		
JD-DNT-1031-A	1/2	21,3	1.1/4	31,8	76		142		
JD-DNT-1531-A	3/4	27,7			82		149		
JD-DNT-2531-A	1	33,4			88		155		
JD-DNT-4521-A	1.1/4	42,2			95		161		
JD-DNT-5521-A	1.1/2	48,3	1.1/2	38,1	101		168		
JD-DNT-1538-A	3/4	27,7			82	57	152		
JD-DNT-2538-A	1	33,4			88		158		
JD-DNT-4538-A	1.1/4	42,2			95		165		
JD-DNT-5538-A	1.1/2	48,3			101		171		


<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749

JD-DNT-5538-A	2	60,3	2	50,8	107	63	177		
JD-DNT-2550-A	1	33,4			88		165		
JD-DNT-4550-A	1.1/4	42,2			95		171		
JD-DNT-5550-A	1.1/2	48,3			101		177		
JD-DNT-6550-A	2	60,3			107		184		
JD-DNT-7550-A	2.1/2	73	3	76,2	114	73	190	M-16	M-16
JD-DNT-6576-A	2	60,3			107		195		
JD-DNT-7576-A	2.1/2	73			114		201		
JD-DNT-8576-A	3	88,9			127		214		
JD-DNT-9576-A	3.1/2	101,6			139		227		
JD-DNT-10576-A	4	114,3			152		239		

CONECTOR BORNE RETO E 90° PINO-CABO EM LIGA DE ALUMINIO.



CÓDIGO	CONDUTORES		PINO		DIMENSÕES EM (MM)				
	AWG-MCM	MM	POL	MM	A	B	C	P	PP
JD-RDN-4012A	6-4/0	4,6-13,4	1/2	12,7	40	48	91	M-10	M-10
JD-RDN-4019A	6-4/0	4,6-13,4	3/4	19	50	48	91		
JD-RDN-5019A	6-500	4,6-20,5				55	103		
JD-RDN-1019A	2-1000	7,4-41,4				73	116		
JD-RDN-5022A	6-500	4,6-20,5	7/8	22,2		55	103		
JD-RDN-4025A	6-4/0	4,6-13,4	1	25,4		48	103		
JD-RDN-5025A	6-500	4,6-20,5				55	100		
JD-RDN-1025A	2-1000	7,4-29,2				73	119		
JD-RDN-4028A	6-4/0	4,6-13,4	1.1/8	28,6	73	48	103		
JD-RDN-5028A	6-500	4,6-20,5				55	100		
JD-RDN-1028A	2-1000	7,4-29,2				73	116		
JD-RDN-2028A	4/0-2000	13,4-41,4				85	135		
JD-RDN-1031A	2-1000	7,4-29,2	1.1/4	31,8		73	116		
JD-RDN-4038A	6-4/0	4,6-13,4	1.1/2	38,1		48	119		
JD-RDN-5038A	6-500	4,6-20,5				55	125		
JD-RDN-1038A	2-1000	7,4-29,2				73	128		
JD-RDN-2038A	4/0-2000	13,4-41,4				85	144		
JD-RDN-1050A	2-1000	7,4-29,2	2	50,8		73	153		
JD-RDN-2050A	4/0-2000	13,4-41,4				85	166		