

CONECTORES BORNE



CONECTOR BORNE 90° PINO-BARRA EM BRONZE




FIGURA 1




FIGURA 2

CÓDIGO	PINO		FIG.	DIMENSÕES EM (MM)				
	POL	MM		A	B	C	G	P
JD-BTP-12-2N-90º	1/2	12,7	2	50	55	80	16	M-10
JD-BTP-16-2N-90º	5/8	15,9						
JD-BTP-19-2N-90º	3/4	19,1						
JD-BTP-19-4N-90º								
JD-BTP-25-2N-90º	1	25,4	2	50				
JD-BTP-25-4N-90º			1	76				
JD-BTP-26-4N-90º				101		105	30	
JD-BTP-28-4N-90º	1.1/8	28,6		76		80	16	
JD-BTP-29-4N-90º				101		105	30	
JD-BTP-31-4N-90º				76		80	16	
JD-BTP-32-4N-90º	1.1/4	31,8		101	65	105	30	
JD-BTP-34-4N-90º	1.3/8	34,9		76		80	16	
JD-BTP-35-4N-90º				101	70	105	30	
JD-BTP-38-4N-90º				1.1/2	38,1		76	65
JD-BTP-39-4N-90º	101	70					105	30
JD-BTP-50-4N-90º	2	50,8					76	75
JD-BTP-51-4N-90º				101	105	30		

CONECTOR BORNE RETO PINO-BARRA EM BRONZE




FIGURA 1

FIGURA 2

CÓDIGO	PINO		FIG.	DIMENSÕES EM (MM)				
	POL	MM		A	B	C	G	P
JD-BTP-12-2N	1/2	12,7	2	50	55	131	16	M-10
JD-BTP-16-2N	5/8	15,9						
JD-BTP-19-2N	3/4	19,1						
JD-BTP-19-4N								
JD-BTP-25-2N	1	25,4	2	50				
JD-BTP-25-4N			1	76				
JD-BTP-26-4N				101		160	30	
JD-BTP-28-4N	76	131		16				
JD-BTP-29-4N	101	160		30				
JD-BTP-31-4N	76	131		16				
JD-BTP-32-4N	1.1/4	31,8		101	65	170	30	
JD-BTP-34-4N	1.3/8	34,9		76	141	16		
JD-BTP-35-4N				101	70	175	30	
JD-BTP-38-4N	1.1/2	38,1		76	65	141	16	
JD-BTP-39-4N				101	70	175	30	
JD-BTP-50-4N				2	50,8	76	75	151
JD-BTP-51-4N	101	180				30		

CONECTOR BORNE RETO PINO-BARRA EM BRONZE





FIGURA 1

FIGURA 2

CÓDIGO	PINO		FIG.	DIMENSÕES EM (MM)				
	POL	MM		A	B	C	G	P
JD-BTP-12-2N	1/2	12,7	2	50	55	131	16	M-10
JD-BTP-16-2N	5/8	15,9						
JD-BTP-19-2N	3/4	19,1						
JD-BTP-19-4N								
JD-BTP-25-2N	1	25,4	2	50				
JD-BTP-25-4N			1	76				
JD-BTP-26-4N				101		160	30	
JD-BTP-28-4N	76	131		16				
JD-BTP-29-4N	1.1/8	28,6		101		160	30	
JD-BTP-31-4N	1.1/4	31,8		76		131	16	
JD-BTP-32-4N				101	170	30		
JD-BTP-34-4N	1.3/8	34,9		76	65	141	16	
JD-BTP-35-4N	1.1/2	38,1		101	70	175	30	
JD-BTP-38-4N				76	65	141	16	
JD-BTP-39-4N				101	70	175	30	
JD-BTP-50-4N	2	50,8		76	75	151	16	
JD-BTP-51-4N				101		180	30	

CONECTOR BORNE 90° PINO-CABO EM BRONZE



CÓDIGO	CONDUTORES		PINO Ø		DIMENSÕES EM (MM)					
	AWG-MCM	MM	POL	MM	A	C	L	R	T	P
JD-DNC-1255-90	1/0	9,4	1/2	12,7	37	95	51	44	51	M-10
JD-DNC-1266-90	2/0	10,6						48		
JD-DNC-1268-90	3/0	12,7						49		
JD-DNC-1277-90	4/0	13,4						44		
JD-DNC-3455-90	1/0	9,4	3/4	19,1	43	103		46		
JD-DNC-3466-90	2/0	10,6						48		
JD-DNC-3468-90	3/0	12,7						49		
JD-DNC-3477-90	4/0	13,4						52		
JD-DNC-3425-90	250	14,6						46		
JD-DNC-3430-90	300	16						48		
JD-DNC-2566-90	2/0	10,6	1	25,4	49	110		49		
JD-DNC-2568-90	3/0	12,7						52		
JD-DNC-2577-90	4/0	13,4						56		
JD-DNC-2525-90	250	14,6						54		
JD-DNC-2530-90	300	16						59		
JD-DNC-2535-90	350	17,2								
JD-DNC-2550-90	500	20,5								


<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749

JD-DNC-2866-90	2/0	10,6	1.1/8	28,6	51	116		49	51		
JD-DNC-2877-90	4/0	13,4						56	59		
JD-DNC-2825-90	250	14,6						60	65		
JD-DNC-2850-90	500	20,5									
JD-DNC-2875-90	750	25,3	1.1/4	31,8	51	132					
JD-DNC-3166-90	2/0	10,6				116		49	51		
JD-DNC-3177-90	4/0	13,4						56	59		
JD-DNC-3125-90	250	14,6				124		60	65		
JD-DNC-3150-90	500	20,5				132		73	73		
JD-DNC-3175-90	750	25,3				140					
JD-DNC-3110-90	1000	29,2	1.1/2	38,1	54	122	68	49	51		
JD-DNC-3877-90	4/0	13,4				133		56	59		
JD-DNC-3825-90	250	14,6				138		60	65		
JD-DNC-3850-90	500	20,5			63	152		73	73		M-12
JD-DNC-3875-90	750	25,3			67	159		86	78		
JD-DNC-3810-90	1000	29,2				164		90	83		M-10
JD-DNC-3815-90	1500	36,9			2	50,8		70	166		
JD-DNC-3820-90	2000	41,4	146	51			56	59			
JD-DNC-5025-90	250	14,6	152				60	65			
JD-DNC-5050-90	500	20,5	168	68			73	73	M-12		
JD-DNC-5075-90	750	25,3	71				176	86		78	
JD-DNC-5010-90	1000	29,2	181					90		83	
JD-DNC-5015-90	1500	36,9									
JD-DNC-5020-90	2000	41,4									


CONECTOR BORNE RETO EM BRONZE PINO-CABO



CÓDIGO	CONDUTOR		PINO		DIMENSÕES EM (MM)					
	AWG-MCM	MM	POL	MM	A	B	C	D	E	F
JD-DNC-1255	1/0	9,4	1/2	12,7	37	113	114	M-10	44	51
JD-DNC-1266	2/0	10,6							46	
JD-DNC-1268	3/0	12,7							48	
JD-DNC-1277	4/0	13,4							49	
JD-DNC-3455	1/0	9,4	3/4	19	43	51	114	M-10	44	
JD-DNC-3466	2/0	10,6							46	
JD-DNC-3468	3/0	12,7							48	
JD-DNC-3477	4/0	13,4							49	
JD-DNC-3425	250	14,6	1	25,4	49	51	114	M-10	52	
JD-DNC-3430	300	16							46	
JD-DNC-2566	2/0	10,6							48	
JD-DNC-2568	3/0	12,7							49	
JD-DNC-2577	4/0	13,4	1.1/8	28,6	51	51	114	M-10	52	
JD-DNC-2525	250	14,6							46	
JD-DNC-2530	300	16							48	
JD-DNC-2535	350	17,2							49	
JD-DNC-2550	500	20,5	1.1/4	31,8	51	51	114	M-10	52	
JD-DNC-2866	2/0	10,6							46	
JD-DNC-2877	4/0	13,4							48	
JD-DNC-2825	250	14,6							49	
JD-DNC-2850	500	20,5	1.1/8	28,6	51	51	114	M-10	52	
JD-DNC-2875	750	25,3							46	
JD-DNC-3155	2/0	10,6							48	
JD-DNC-3177	4/0	13,4							49	
JD-DNC-3125	250	14,6	1.1/4	31,8	51	51	114	M-10	52	
JD-DNC-3150	500	20,5							46	

JD-DNC-3175	750	25,3					130		60	65
JD-DNC-3110	1000	29,2					141		73	73
JD-DNC-3877	4/0	13,4								
JD-DNC-3825	250	14,6					116		49	51
JD-DNC-3850	500	20,5					124		56	59
JD-DNC-3875	750	25,3					130		60	65
JD-DNC-3810	1000	29,2					157		73	
JD-DNC-3815	1500	36,9					162		86	73
JD-DNC-3820	2000	41,4					167		90	83
JD-DNC-5025	250	14,6					119		49	51
JD-DNC-5050	500	20,5					127		56	59
JD-DNC-5075	750	25,3					133		60	65
JD-DNC-5010	1000	29,2					159		73	73
JD-DNC-5015	1500	36,9					165		86	78
JD-DNC-5020	2000	41,4					70		90	83

CONECTOR BORNE 90° PINO TUBO EM BRONZE



CÓDIGO	TUBO IPS		PINO		DIMENSÕES EM (MM)				
	POL	MM	POL	MM	A	B	C	D	P
JD-DNT-1512-90°	1/2	21,3	1/2	12,7	43	51	100	57	M-10
JD-DNT-2512-90°	3/4	26,6			49			62	
JD-DNT-3512-90°	1	33,4			54			68	
JD-DNT-1519-90°	1/2	21,3	3/4	19	43		104	57	
JD-DNT-2519-90°	3/4	26,6			49			62	
JD-DNT-3519-90°	1	33,4			54			68	
JD-DNT-1525-90°	1/2	21,3	1	25,4	49	68	138	59	M-12
JD-DNT-25251-90°	3/4	26,6						62	
JD-DNT-3525-90°	1	33,4			54			70	
JD-DNT-4525-90°	1.1/4	42,1	1.1/8	28,6	57	51	116	89	M-10
JD-DNT-5525-90°	1.1/2	48,2			71			100	
JD-DNT-1528-90°	1/2	21,3			52			59	
JD-DNT-2528-90°	3/4	26,6	1.1/4	31,8	54	68	140	62	M-12
JD-DNT-3528-90°	1	33,4			67			90	
JD-DNT-4528-90°	1.1/4	42,1			71			100	
JD-DNT-5528-90°	1.1/2	48,2	1.1/4	31,8	52	51	116	59	M-10
JD-DNT-1531-90°	1/2	21,3			54			62	
JD-DNT-2531-90°	3/4	26,6			54			68	
JD-DNT-3531-90°	1	33,4							


<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749

JD-DNT-4531-90°	1.1/4	42,1			67	68	140	90	M-12		
JD-DNT-5531-90°	1.1/2	48,2			71			100			
JD-DNT-2538-90°	3/4	26,6			1.1/2	38,1	57	51	122	62	M-10
JD-DNT-3538-90°	1	33,4	67	153			150	71			
JD-DNT-4538-90°	1.1/4	42,1	71					90	M-12		
JD-DNT-5538-90°	1.1/2	48,2	84					100			
JD-DNT-6538-90°	2	60,3	2	50,8			68	51	163	117	M-10
JD-DNT-3550-90°	1	33,4					70	68		75	
JD-DNT-4550-90°	1.1/4	42,1			71	165	92		M-12		
JD-DNT-5550-90°	1.1/2	48,2			84		102				
JD-DNT-6550-90°	2	60,3			98		117				
JD-DNT-7550-90°	2.1/2	73				175	132				

CONECTOR BORNE RETO PINO TUBO EM BRONZE



CÓDIGO	TUBO IPS		PINO		DIMENSÕES EM (MM)				
	POL	MM	POL	MM	A	B	C	D	P
JD-DNT-1512	1/2	21,3	1/2	12,7	43	51	113	57	M-10
JD-DNT-2512	3/4	26,6			49			62	
JD-DNT-3512	1	33,4			54			68	
JD-DNT-1519	1/2	21,3	3/4	19	43	51	114	57	M-10
JD-DNT-2519	3/4	26,6			49			62	
JD-DNT-3519	1	33,4			54			68	
JD-DNT-1525	1/2	21,3	1	25,4	49	51	116	59	M-10
JD-DNT-25251	3/4	26,6			54			62	
JD-DNT-3525	1	33,4			57			70	
JD-DNT-4525	1.1/4	42,1	1.1/2	28,6	71	68	151	89	M-12
JD-DNT-5525	1.1/2	48,2			52			100	
JD-DNT-1528	1/2	21,3			54			59	
JD-DNT-2528	3/4	26,6	1.1/8	28,6	54	51	116	62	M-10
JD-DNT-3528	1	33,4			67			68	
JD-DNT-4528	1.1/4	42,1			71	68	153	90	M-12
JD-DNT-5528	1.1/2	48,2	1.1/4	31,8	52			100	
JD-DNT-1531	1/2	21,3			52	51	116	59	M-10


<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749

JD-DNT-2531	3/4	26,6			54	68	153	62	M-12
JD-DNT-3531	1	33,4						68	
JD-DNT-4531	1.1/4	42,1			67			90	
JD-DNT-5531	1.1/2	48,2			71			100	
JD-DNT-2538	3/4	26,6	1.1/2	38,1	57	51	116	62	M-10
JD-DNT-3538	1	33,4						71	
JD-DNT-4538	1.1/4	42,1			67			90	M-12
JD-DNT-5538	1.1/2	48,2			71			100	
JD-DNT-6538	2	60,3	2	50,8	84	68	154	117	M-12
JD-DNT-3550	1	33,4			68			75	
JD-DNT-4550	1.1/4	42,1			70			92	
JD-DNT-5550	1.1/2	48,2			71			102	
JD-DNT-6550	2	60,3			84			117	
JD-DNT-7550	2.1/2	73			98			132	

CONECTOR BORNE RETO E 90° PINO-CABO EM BRONZE



CÓDIGO	CONDUTORES		PINO		DIMENSÕES EM (MM)				
	AWG-MCM	MM	POL	MM	A	B	C	P	PP
JD-RDN-1240	6-4/0	4,6-13,4	1/2	12,7	40	48	91	M-10	M-10
JD-RDN-1940	6-4/0	4,6-13,4	3/4	19	50	48	91		
JD-RDN-1950	6-500	4,6-20,5				55	103		
JD-RDN-1910	2-1000	7,4-41,4				73	116		
JD-RDN-2250	6-500	4,6-20,5	7/8	22,2		55	103		
JD-RDN-2540	6-4/0	4,6-13,4	1	25,4		48	103		
JD-RDN-2550	6-500	4,6-20,5				55	100		
JD-RDN-25100	2-1000	7,4-29,2				73	119		
JD-RDN-2840	6-4/0	4,6-13,4	1.1/8	28,6	73	48	103		
JD-RDN-2850	6-500	4,6-20,5				55	100		
JD-RDN-28100	2-1000	7,4-29,2				73	116		
JD-RDN-28200	4/0-2000	13,4-41,4				85	135		
JD-RDN-31100	2-1000	7,4-29,2	1.1/4	31,8		73	116		
JD-RDN-3840	6-4/0	4,6-13,4	1.1/2	38,1		48	119		
JD-RDN-3850	6-500	4,6-20,5				55	125		
JD-RDN-38100	2-1000	7,4-29,2				73	128		
JD-RDN-38200	4/0-2000	13,4-41,4				85	144		
JD-RDN-50100	2-1000	7,4-29,2	2	50,8		73	153		
JD-RDN-50200	4/0-2000	13,4-41,4				85	166		

<http://www.jdemitoeletrica.com.br>

(11)3459-4744

(11)3459-4749

